



LABORATOR MJEKËSOR

AKREDITUAR ISO 15189:2012 CERTIFIKUAR ISO 9001:2008

Patient / Pacienti : **GESTA LLANGO** Accepted/Pranuar : 20/06/2022 09:54
 Reference / Kodi : 2804789 Approved/Aprovuar : **20/06/2022 11:47**
 Sex-Age/Gjinia-Mosha: F / 02/11/1992-29 vjec
 ID CARD/PASS :
 Ref. Origin/Ref. Origjin: GENIUSLAB FRESKU



Test name	Result	Unit	Reference	Result words	Samp./Meth.
Emri i testit	Rezultati	Njesia	Vlerat normale	Vleresimi	Mat./Met.
Biokimike					
Glicemi essell	87.53	mg/dL	70 - 115		Serum / Imunoturbidimetri
Urea	28.05	mg/dL	16.6 - 48.5		Serum / Imunoturbidimetri
Kreatinina	0.59	mg/dL	0.70 - 1.20 Meshkuj 0.50 - 0.90 Femra 0.17 - 0.87 Femije		Serum / Imunoturbidimetri
SGPT-ALT	12.06	U/l	< 41 Meshkuj < 33 Femra		Serum / Fotometri
SGOT-AST	14.89	U/l	< 40 Meshkuj < 32 Femra		Serum / Fotometri
Bilirubina Totale	0.52	mg/dL	< 1.2		Serum / Imunoturbidimetri
Bilirubina Direkte	0.23	mg/dL	< 0.4		Serum / Imunoturbidimetri
Bilirubina Indirekte	0.29	mg/dL	< 0.8		Serum / Imunoturbidimetri
Kolesterol Total	149.95	mg/dL	45 - 220		Serum / Imunoturbidimetri
HDL kolesterol	55.85	mg/dL	> 40		Serum / Imunoturbidimetri
LDL Kolesterol	84.84	mg/dL	<130		Serum / Imunoturbidimetri
Trigliceridi	44.1	mg/dL	50 - 150	I Ulet	Serum / Fotometri
VLDL	8.82	mg/dL	13 - 39		Serum / Fotometri
Ratio Chol.Total /HDL [Risk Factor]	2.68		< 3.5 Meshkuj < 3 Femra		Serum / Fotometri

Vlerësuar Elektronikisht
Dr. Adela Kryeziu



Vlerësuar Elektronikisht
Dr. Besnik Cullhaj

